

U Cores (9077026002)



Part	Number:	9077026002)

77 U CORE

Explanation of Part Numbers: Digits 1&2 = product class, 3&4 = material grade.

The U core offers an economical core design with a nearly uniform cross-sectional area. In a power ferrite material they are frequently used in output chokes, power input filters and transformers for switched-mode power supplies and HF fluorescent ballasts.

☐ For any U core requirement not listed in the catalog, please contact our customer service group for availability and pricing.

☐ Weight indicated is per pair or set.

Weight: 15 (g)

weigni	<u>t:</u> 15 (g)				_
Dim	mm	mm tol	nominal inch	inch misc.	
A	25.4	±0.75	1		
В	12.6	+0.25	0.5		
С	6.6	-0.50	0.25		
D	6.2	Min	0.244	Min	Chart Legend
Е	12.45	Min	0.49	Min	An I core, 9377024002, is available for these U cores. Secore Section of our catalog.
Σl/ A	: Core	Constant,	l _e : Effectiv	e Path Length,	A _c : Effective Cross- Sectional Area, V _c :
Effe A_L :		e Volume nce Factor			

Electrical Properties				
$A_L(nH)$	940 Min			
Ae(cm ²)	0.4			
$\Sigma l/A(cm^{-1})$	17.6			
l _e (cm)	7.1			
$V_e(cm^3)$	2.85			

 \square A_L value is measured at 1kHz, < 10 gauss. \square These U cores have the same minimum cross- sectional area as the listed effective cross- sectional area.